

LASER & ROTARY ENGRAVING MATERIALS

ROTARY ENGRAVING MATERIALS

MATTES



Red/White	Burgundy/White	Orange/White	Yellow/Black	Bright Green/White	Celadon Green/White	Pine Green/White	Light Blue/White	Sapphire/White
212-602 2-ply 1/32" 222-602 2-ply 1/16" 223-602 3-ply 1/16" 243-602 3-ply 1/8"	222-622 2-ply 1/16" 243-622 3-ply 1/8"	222-612 2-ply 1/16" 243-612 3-ply 1/8"	212-744 2-ply 1/32" 222-744 2-ply 1/16" 223-744 3-ply 1/16" 243-744 3-ply 1/8"	212-932 2-ply 1/32" 222-932 2-ply 1/16" 223-932 3-ply 1/16" 243-932 3-ply 1/8"	222-972 2-ply 1/16" 243-972 3-ply 1/8"	222-912 2-ply 1/16" 243-912 3-ply 1/8"	222-562 2-ply 1/16" 243-562 3-ply 1/8"	222-502 2-ply 1/16" 243-502 3-ply 1/8"
Blue/White	Navy Blue/White	China Blue/White	Purple/White	Almond/Black	Ivory/Dark Brown	Med. Brown/White	Dark Brown/White	White/Red
212-512 2-ply 1/32" 222-512 2-ply 1/16" 223-512 3-ply 1/16" 243-512 3-ply 1/8"	222-552 2-ply 1/16" 243-552 3-ply 1/8"	222-382 2-ply 1/16" 243-382 3-ply 1/8"	222-582 2-ply 1/16" 243-582 3-ply 1/8"	222-854 2-ply 1/16" 243-854 3-ply 1/8"	222-228 2-ply 1/16" 243-228 3-ply 1/8"	222-822 2-ply 1/16" 243-822 3-ply 1/8"	222-842 2-ply 1/16" 243-842 3-ply 1/8"	212-206 2-ply 1/32" 222-206 2-ply 1/16" 243-206 3-ply 1/8"
White/Burgundy	White/Bright Green	White/Blue	White/Black	Light Grey/Burgundy	Light Grey/Marine Blue	Light Grey/Black	Grey/White	Black/White
222-226 2-ply 1/16" 243-226 3-ply 1/8"	222-209 2-ply 1/16" 243-209 3-ply 1/8"	212-205 2-ply 1/32" 222-205 2-ply 1/16" 243-205 3-ply 1/8"	212-204 2-ply 1/32" 222-204 2-ply 1/16" 223-204 3-ply 1/16" 243-204 3-ply 1/8"	222-326 2-ply 1/16" 243-326 3-ply 1/8"	222-325 2-ply 1/16" 243-325 3-ply 1/8"	222-324 2-ply 1/16" 243-324 3-ply 1/8"	222-312 2-ply 1/16" 243-312 3-ply 1/8"	212-402 2-ply 1/32" 222-402 2-ply 1/16" 223-402 3-ply 1/16" 243-402 3-ply 1/8"
Black/Bright White	Walnut/White	English Walnut/Bright White	Black Walnut/White					
222-412 2-ply 1/16" 243-412 3-ply 1/8"	222-172 2-ply 1/16" 243-172 3-ply 1/8"	222-192 2-ply 1/16" 243-192 3-ply 1/8"	222-002 2-ply 1/16" 243-002 3-ply 1/8"					

TECHNICAL SPECIFICATIONS

Material Microsurfaced ABS	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Personal identification Trophies, awards & plaques	Capabilities Scores Bevels Hot Stamps Thermal Prints	Saws Heat Bendable Bonds Shears	Drills Screen Prints Fine Detail Sandblasts
Finish Matte non-glare Patterned	Engraving Depth .003" // 0.08mm				

LACQUERS



Red/White	Yellow/Black	Safety Yellow/Black	Bright Green/White	Teal/White	Blue/White	Sapphire/White	White/Red	White/Blue
422-602 2-ply 1/16" 442-602 2-ply 1/8"	422-704 2-ply 1/16" 442-704 2-ply 1/8"	422-794 2-ply 1/16" 442-794 2-ply 1/8"	422-932 2-ply 1/16" 442-932 2-ply 1/8"	422-962 2-ply 1/16" 442-962 2-ply 1/8"	422-512 2-ply 1/16" 442-512 2-ply 1/8"	422-562 2-ply 1/16" 442-562 2-ply 1/8"	422-206 2-ply 1/16" 442-206 2-ply 1/8"	422-205 2-ply 1/16" 442-205 2-ply 1/8"
White/Black	Black/White	Vintage Gold/Black	Vintage Silver/Black					
422-204 2-ply 1/16" 442-204 2-ply 1/8"	422-402 2-ply 1/16" 442-402 2-ply 1/8"	422-774 2-ply 1/16" 442-774 2-ply 1/8"	422-384 2-ply 1/16" 442-384 2-ply 1/8"					

TECHNICAL SPECIFICATIONS

Material Laminated impact acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Exterior signage Personal identification	Capabilities Saws Shears Bonds Screen Prints Thermal Prints	Drills Bevels Heat Bendable Hot Stamps Laser Vector Cuts	UV Stable
Finish Gloss	Engraving Depth .012" // 0.30mm				

ULTRA-MATTES *Front Engravable*



Red/White	Red/Yellow	Dusty Rose/White	Ruby/White	Garnet/Ash	Canyon/Ash	Canyon/Cement	Yellow/Black	Safety Yellow/Black
322-602 2-ply 1/16" 342-602 2-ply 1/8" 343-602 3-ply 1/8"	322-607 2-ply 1/16" 342-607 2-ply 1/8" 343-607 3-ply 1/8"	322-662 2-ply 1/16" 342-662 2-ply 1/8" 343-662 3-ply 1/8"	322-632 2-ply 1/16" 342-632 2-ply 1/8" 343-632 3-ply 1/8"	322-642 2-ply 1/16" 342-642 2-ply 1/8" 343-642 3-ply 1/8"	322-862 2-ply 1/16" 342-862 2-ply 1/8" 343-862 3-ply 1/8"	322-823 2-ply 1/16" 342-823 2-ply 1/8" 343-823 3-ply 1/8"	322-704 2-ply 1/16" 342-704 2-ply 1/8" 343-704 3-ply 1/8"	322-794 2-ply 1/16" 342-794 2-ply 1/8" 343-794 3-ply 1/8"
Bright Green/White	Celadon Green/White	Hunter Green/White	Hunter Green/Gold	Black Forest Green/White	Sea Grey/White	Balsam/Ash	Teal/White	Ocean Blue/White
322-932 2-ply 1/16" 342-932 2-ply 1/8" 343-932 3-ply 1/8"	322-972 2-ply 1/16" 342-972 2-ply 1/8" 343-972 3-ply 1/8"	322-992 2-ply 1/16" 342-992 2-ply 1/8" 343-992 3-ply 1/8"	322-997 2-ply 1/16" 342-997 2-ply 1/8" 343-997 3-ply 1/8"	322-902 2-ply 1/16" 342-902 2-ply 1/8" 343-902 3-ply 1/8"	322-312 2-ply 1/16" 342-312 2-ply 1/8" 343-312 3-ply 1/8"	322-942 2-ply 1/16" 342-942 2-ply 1/8" 343-942 3-ply 1/8"	322-962 2-ply 1/16" 342-962 2-ply 1/8" 343-962 3-ply 1/8"	322-592 2-ply 1/16" 342-592 2-ply 1/8" 343-592 3-ply 1/8"
Blue/White	Blue/Yellow	Sapphire/White	Blueberry/Gold	Blueberry/White	China Blue/White	Ash/Garnet	Ash/Cinder	Sandalwood/Canyon
322-512 2-ply 1/16" 342-512 2-ply 1/8" 343-512 3-ply 1/8"	322-517 2-ply 1/16" 342-517 2-ply 1/8" 343-517 3-ply 1/8"	322-562 2-ply 1/16" 342-562 2-ply 1/8" 343-562 3-ply 1/8"	322-527 2-ply 1/16" 342-527 2-ply 1/8" 343-527 3-ply 1/8"	322-542 2-ply 1/16" 342-542 2-ply 1/8" 343-542 3-ply 1/8"	322-382 2-ply 1/16" 342-382 2-ply 1/8" 343-382 3-ply 1/8"	322-246 2-ply 1/16" 342-246 2-ply 1/8" 343-246 3-ply 1/8"	322-244 2-ply 1/16" 342-244 2-ply 1/8" 343-244 3-ply 1/8"	322-218 2-ply 1/16" 342-218 2-ply 1/8" 343-218 3-ply 1/8"
Sandalwood/Balsam	Parchment/Black	Ivory/Dark Brown	Beige/White	Beige/Dark Brown	Taupe/White	Driftwood/Alpine	White/Red	White/Blue
322-219 2-ply 1/16" 342-219 2-ply 1/8" 343-219 3-ply 1/8"	322-814 2-ply 1/16" 342-814 2-ply 1/8" 343-814 3-ply 1/8"	322-228 2-ply 1/16" 342-228 2-ply 1/8" 343-228 3-ply 1/8"	322-832 2-ply 1/16" 342-832 2-ply 1/8" 343-832 3-ply 1/8"	322-838 2-ply 1/16" 342-838 2-ply 1/8" 343-838 3-ply 1/8"	322-802 2-ply 1/16" 342-802 2-ply 1/8" 343-802 3-ply 1/8"	322-595 2-ply 1/16" 342-595 2-ply 1/8" 343-595 3-ply 1/8"	322-206 2-ply 1/16" 342-206 2-ply 1/8" 343-206 3-ply 1/8"	322-205 2-ply 1/16" 342-205 2-ply 1/8" 343-205 3-ply 1/8"
White/Black	White/Gold	Cement/Garnet	Cement/Canyon	Graphite/White	Cinder/Clay	Cinder/White	Charcoal Grey/White	Dark Brown/White
322-204 2-ply 1/16" 342-204 2-ply 1/8" 343-204 3-ply 1/8"	322-217 2-ply 1/16" 342-217 2-ply 1/8" 343-217 3-ply 1/8"	322-236 2-ply 1/16" 342-236 2-ply 1/8" 343-236 3-ply 1/8"	322-238 2-ply 1/16" 342-238 2-ply 1/8" 343-238 3-ply 1/8"	322-392 2-ply 1/16" 342-392 2-ply 1/8" 343-392 3-ply 1/8"	322-413 2-ply 1/16" 342-413 2-ply 1/8" 343-413 3-ply 1/8"	322-432 2-ply 1/16" 342-432 2-ply 1/8" 343-432 3-ply 1/8"	322-302 2-ply 1/16" 342-302 2-ply 1/8" 343-302 3-ply 1/8"	322-842 2-ply 1/16" 342-842 2-ply 1/8" 343-842 3-ply 1/8"
Black/Silver	Black/White	Black/Yellow	Black/Gold	Vintage Gold/Black	Vintage Silver/Black			
322-423 2-ply 1/16" 342-423 2-ply 1/8" 343-423 3-ply 1/8"	322-402 2-ply 1/16" 342-402 2-ply 1/8" 343-402 3-ply 1/8"	322-407 2-ply 1/16" 342-407 2-ply 1/8" 343-407 3-ply 1/8"	322-417 2-ply 1/16" 342-417 2-ply 1/8" 343-417 3-ply 1/8"	322-774 2-ply 1/16" 342-774 2-ply 1/8" 343-774 3-ply 1/8"	322-384 2-ply 1/16" 342-384 2-ply 1/8" 343-384 3-ply 1/8"			

TECHNICAL SPECIFICATIONS

Material Laminated impact acrylic	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Exterior signage Personal identification Tactile Signage	Capabilities Saws Laser Vector Cuts Screen Prints UV Stable	Drills Bevels Hot Stamps Braille Engravable	Shears Heat Bendable Bonds Thermal Prints
Finish Matte non-glare	Engraving Depth .012" // 0.30mm				

SLICKERS



Clear/Red	Clear/Yellow	Clear/Sapphire	Clear/White	Clear/Black	Clear/Clear
412-600 2-ply 1/32" 422-600 2-ply 1/16" 442-600 2-ply 1/8"	412-700 2-ply 1/32" 422-700 2-ply 1/16" 442-700 2-ply 1/8"	412-560 2-ply 1/32" 422-560 2-ply 1/16" 442-560 2-ply 1/8"	412-200 2-ply 1/32" 422-200 2-ply 1/16" 442-200 2-ply 1/8"	412-400 2-ply 1/32" 422-400 2-ply 1/16" 442-400 2-ply 1/8"	411-100 1-ply 1/32" 422-100 1-ply 1/16" 442-100 1-ply 1/8"

TECHNICAL SPECIFICATIONS

Material Laminated impact acrylic for reverse engraving	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Exterior signage Personal identification	Capabilities Saws Laser Vector Cuts Screen Prints UV Stable Thermal Prints	Drills Bevels Hot Stamps Paintfill	Shears Heat Bendable Bonds Back-lighting
Finish Gloss	Engraving Depth .012" // 0.30mm				

ULTRA-MATTES Reverse Engravable



Matte/Red 312-601 2-ply 1/32" 322-601 2-ply 1/16" 342-601 2-ply 1/8"	Matte/Dusty Rose 312-661 2-ply 1/32" 322-661 2-ply 1/16" 342-661 2-ply 1/8"	Matte/Ruby 312-631 2-ply 1/32" 322-631 2-ply 1/16" 342-631 2-ply 1/8"	Matte/Canyon 312-861 2-ply 1/32" 322-861 2-ply 1/16" 342-861 2-ply 1/8"	Matte/Orange 312-651 2-ply 1/32" 322-651 2-ply 1/16" 342-651 2-ply 1/8"	Matte/Yellow 312-701 2-ply 1/32" 322-701 2-ply 1/16" 342-701 2-ply 1/8"	Matte/Bright Green 312-911 2-ply 1/32" 322-911 2-ply 1/16" 342-911 2-ply 1/8"	Matte/Celadon Green 312-931 2-ply 1/32" 322-931 2-ply 1/16" 342-931 2-ply 1/8"	Matte/Hunter Green 312-991 2-ply 1/32" 322-991 2-ply 1/16" 342-991 2-ply 1/8"
Matte/Black Forest Green 312-901 2-ply 1/32" 322-901 2-ply 1/16" 342-901 2-ply 1/8"	Matte/Sea Grey 312-311 2-ply 1/32" 322-311 2-ply 1/16" 342-311 2-ply 1/8"	Matte/Teal 312-921 2-ply 1/32" 322-921 2-ply 1/16" 342-921 2-ply 1/8"	Matte/Ocean Blue 312-591 2-ply 1/32" 322-591 2-ply 1/16" 342-591 2-ply 1/8"	Matte/Blue 312-511 2-ply 1/32" 322-511 2-ply 1/16" 342-511 2-ply 1/8"	Matte/Sapphire 312-561 2-ply 1/32" 322-561 2-ply 1/16" 342-561 2-ply 1/8"	Matte/Blueberry 312-541 2-ply 1/32" 322-541 2-ply 1/16" 342-541 2-ply 1/8"	Matte/China Blue 312-381 2-ply 1/32" 322-381 2-ply 1/16" 342-381 2-ply 1/8"	Matte/Beige 312-831 2-ply 1/32" 322-831 2-ply 1/16" 342-831 2-ply 1/8"
Matte/Taupe 312-801 2-ply 1/32" 322-801 2-ply 1/16" 342-801 2-ply 1/8"	Matte/Cinder 312-431 2-ply 1/32" 322-431 2-ply 1/16" 342-431 2-ply 1/8"	Matte/Charcoal Grey 312-301 2-ply 1/32" 322-301 2-ply 1/16" 342-301 2-ply 1/8"	Matte/Dark Brown 312-841 2-ply 1/32" 322-841 2-ply 1/16" 342-841 2-ply 1/8"	Matte/Vintage Gold 312-731 2-ply 1/32" 322-731 2-ply 1/16" 342-731 2-ply 1/8"	Matte/Vintage Silver 312-371 2-ply 1/32" 322-371 2-ply 1/16" 342-371 2-ply 1/8"	Matte/Graphite 312-391 2-ply 1/32" 322-391 2-ply 1/16" 342-391 2-ply 1/8"	Matte/Black 312-401 2-ply 1/32" 322-401 2-ply 1/16" 342-401 2-ply 1/8"	Matte/White 312-201 2-ply 1/32" 322-201 2-ply 1/16" 342-201 2-ply 1/8"
Matte/Ash 312-221 2-ply 1/32" 322-221 2-ply 1/16" 342-221 2-ply 1/8"	Matte/Sandalwood 312-211 2-ply 1/32" 322-211 2-ply 1/16" 342-211 2-ply 1/8"	Matte/Parchment 312-811 2-ply 1/32" 322-811 2-ply 1/16" 342-811 2-ply 1/8"	Matte/Ivory 312-231 2-ply 1/32" 322-231 2-ply 1/16" 342-231 2-ply 1/8"	Matte/Cement 312-241 2-ply 1/32" 322-241 2-ply 1/16" 342-241 2-ply 1/8"	Matte/Driftwood 312-581 2-ply 1/32" 322-581 2-ply 1/16" 342-581 2-ply 1/8"	Matte/Clear 311-101 1-ply 1/32" 322-101 1-ply 1/16" 342-101 1-ply 1/8"		

TECHNICAL SPECIFICATIONS			
Material Laminated impact acrylic for reverse engraving	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Interior signage Exterior signage Personal identification Tactile signage	Capabilities Saws Laser Vector Cuts Screen Prints UV Stable Thermal Prints
Finish Matte non-glare	Engraving Depth .012" // .030mm		Drills Bevels Hot Stamps Paintfill Sandblasts
			Shears Heat Bendable Bonds Braille-engrable

SAFE-T-MARK™



Red/White FR222-602 2-ply 1/16" FR223-602 3-ply 1/16"	Vibrant Orange/Black FR222-624 2-ply 1/16" FR223-624 3-ply 1/16"	Yellow/Black FR222-744 2-ply 1/16" FR223-744 3-ply 1/16"	Bright Green/White FR222-932 2-ply 1/16" FR223-932 3-ply 1/16"	Blue/White FR222-512 2-ply 1/16" FR223-512 3-ply 1/16"	White/Black FR222-204 2-ply 1/16" FR223-204 3-ply 1/16"	Grey/White FR222-312 2-ply 1/16" FR223-312 3-ply 1/16"	Grey/Black FR222-314 2-ply 1/16" FR223-314 3-ply 1/16"	Black/White FR222-402 2-ply 1/16" FR223-402 3-ply 1/16"
--	---	---	---	---	--	---	---	--

TECHNICAL SPECIFICATIONS			
Fabrication friendly alternative to traditional phenolic materials for indoor applications. Electrically non-conductive, insulative, fire retardant, non-flammable.			
Material Fire retardant functional polymer	Sheet Size 24-1/8" x 48-3/4" // 613mm x 1238mm	Usage Industrial tags Safety signage Equipment ID tags Electrical tags Control panels	Capabilities Scores Bevels Hot Stamps Thermal Prints
Finish Matte non-glare	Engraving Depth .003" // .008mm		Saws Heat Bendable Bonds Shears
			Drills Screen Prints Fine Detail

HEAVY WEIGHTS™



Red/White/Red HW853-602 3-ply 1/4" HW873-602 3-ply 1/2"	Red/Black/Red HW853-604 3-ply 1/4" HW873-604 3-ply 1/2"	Blue/White/Blue HW853-512 3-ply 1/4" HW873-512 3-ply 1/2"	White/Blue/White HW853-205 3-ply 1/4" HW873-205 3-ply 1/2"	Black/White/Black HW853-402 3-ply 1/4" HW873-402 3-ply 1/2"	White/Black/White HW853-204 3-ply 1/4" HW873-204 3-ply 1/2"	Tan/Green/Tan HW853-797 3-ply 1/4" HW873-797 3-ply 1/2"	Green/Tan/Green HW853-908 3-ply 1/4" HW873-908 3-ply 1/2"	Brown/White/Brown HW853-802 3-ply 1/4" HW873-802 3-ply 1/2"
--	--	--	---	--	--	--	--	--

TECHNICAL SPECIFICATIONS			
Material High-density polyethylene	Sheet Size 24" x 48" // 610mm x 1219mm	Usage Architectural Outdoor & recreational Interior signage Exterior Signage	Capabilities Saws Drills UV Stable
Finish Textured	Engraving Depth 1/4" = .030" // 0.8mm 1/2" = .060" // 1.6mm		
Green/White/Green HW853-902 3-ply 1/4" HW873-902 3-ply 1/2"	Yellow/Black/Yellow HW853-704 3-ply 1/4" HW873-704 3-ply 1/2"		



Indoor Use



Outdoor Weatherable



UV Stable

UL approval for components
products - yellowcard E354751

Indoor Use



Outdoor Weatherable



UV Stable

UL approval for components
products - yellowcard E354751

SATINS



112-602 2-ply 1/32" 122-602 2-ply 1/16" 123-602 3-ply 1/16" 132-602 2-ply 3/32" 143-602 3-ply 1/8"	122-604 2-ply 1/16" 143-604 3-ply 1/8"	122-607 2-ply 1/16" 143-607 3-ply 1/8"	122-622 2-ply 1/16" 143-622 3-ply 1/8"	122-612 2-ply 1/16" 143-612 3-ply 1/8"	122-614 2-ply 1/16" 143-614 3-ply 1/8"	112-704 2-ply 1/32" 122-704 2-ply 1/16" 123-704 3-ply 1/16" 132-704 2-ply 3/32" 143-704 3-ply 1/8"	122-706 2-ply 1/16" 143-706 3-ply 1/8"	122-705 2-ply 1/16" 143-705 3-ply 1/8"
112-932 2-ply 1/32" 122-932 2-ply 1/16" 123-932 3-ply 1/16" 132-932 2-ply 3/32" 143-932 3-ply 1/8"	122-902 2-ply 1/16" 143-902 3-ply 1/8"	122-912 2-ply 1/16" 143-912 3-ply 1/8"	122-942 2-ply 1/16" 143-942 3-ply 1/8"	112-512 2-ply 1/32" 122-512 2-ply 1/16" 123-512 3-ply 1/16" 132-512 2-ply 3/32" 143-512 3-ply 1/8"	122-517 2-ply 1/16" 143-517 3-ply 1/8"	122-533 2-ply 1/16"	122-552 2-ply 1/16" 143-552 3-ply 1/8"	122-532 2-ply 1/16" 143-532 3-ply 1/8"
122-542 2-ply 1/16" 143-542 3-ply 1/8"	122-582 2-ply 1/16" 143-582 3-ply 1/8"	122-854 2-ply 1/16" 143-854 3-ply 1/8"	122-228 2-ply 1/16" 143-228 3-ply 1/8"	122-838 2-ply 1/16" 143-838 3-ply 1/8"	122-832 2-ply 1/16" 143-832 3-ply 1/8"	122-822 2-ply 1/16" 143-822 3-ply 1/8"	122-842 2-ply 1/16" 143-842 3-ply 1/8"	122-206 2-ply 1/16" 143-206 3-ply 1/8"
122-246 2-ply 1/16"	122-216 2-ply 1/16" 143-216 3-ply 1/8"	122-209 2-ply 1/16" 143-209 3-ply 1/8"	122-239 2-ply 1/16"	122-269 2-ply 1/16" 143-269 3-ply 1/8"	122-205 2-ply 1/16" 143-205 3-ply 1/8"	122-235 2-ply 1/16"	122-208 2-ply 1/16" 143-208 3-ply 1/8"	112-204 2-ply 1/32" 122-204 2-ply 1/16" 123-204 3-ply 1/16" 132-204 2-ply 3/32" 143-204 3-ply 1/8"
122-234 2-ply 1/16" 132-234 2-ply 3/32" 143-234 3-ply 1/8"	122-312 2-ply 1/16" 143-312 3-ply 1/8"	122-362 2-ply 1/16" 143-362 3-ply 1/8"	122-302 2-ply 1/16" 143-302 3-ply 1/8"	122-304 2-ply 1/16" 143-304 3-ply 1/8"	112-402 2-ply 1/32" 122-402 2-ply 1/16" 132-402 2-ply 3/32" 143-402 3-ply 1/8"	122-412 2-ply 1/16" 143-412 3-ply 1/8"	122-406 2-ply 1/16" 143-406 3-ply 1/8"	122-407 2-ply 1/16" 143-407 3-ply 1/8"
122-417 2-ply 1/16" 143-417 3-ply 1/8"	122-423 2-ply 1/16" 143-423 3-ply 1/8"							

TECHNICAL SPECIFICATIONS

Material

Acrylic cap, ABS core

Sheet Size

24-1/8" x 48-3/4" //

613mm x 1238mm

Usage

Interior signage
Personal identification

Capabilities

Scores Saws
Drills Shears
Bevels Heat Bendable
Screen Prints Bonds
Hot Stamps

Finish

Brushed

Engraving Depth

.012" // 0.30mm

NOMARK® PLUS & STANDARD METALS



Standard: 512-884 2-ply 1/32" 522-884 2-ply 1/16" NoMark® Plus: 522-8840+ 2-ply 1/16"	Standard: 512-734 2-ply 1/32" 522-734 2-ply 1/16" NoMark® Plus: 522-7340+ 2-ply 1/16"	Standard: 512-754 2-ply 1/32" 522-754 2-ply 1/16" NoMark® Plus: 522-7540+ 2-ply 1/16"	Standard: 512-714 2-ply 1/32" 522-714 2-ply 1/16" NoMark® Plus: 522-7140+ 2-ply 1/16"	Standard: 512-354 2-ply 1/32" 522-354 2-ply 1/16" NoMark® Plus: 522-3540+ 2-ply 1/16"	Standard: 512-334 2-ply 1/32" 522-334 2-ply 1/16" NoMark® Plus: 522-3340+ 2-ply 1/16"	Standard: 512-344 2-ply 1/32" 522-344 2-ply 1/16" NoMark® Plus: 522-3440+ 2-ply 1/16"

TECHNICAL SPECIFICATIONS

NoMark® Plus is a clear acrylic protective coating to minimize finger prints, scratches and mars.

Material

Microsurfaced ABS

Sheet Size

24-1/8" x 48-3/4" //

613mm x 1238mm

Usage

Interior signage
Personal identification
Trophies, awards & plaques

Capabilities

Scores Saws
Drills Bevels
Screen Prints Hot Stamps
Fine Detail Thermal Prints
Sandblasts

Finish

Brushed metal

Engraving Depth

.003" // 0.08mm

◆ Not recommended for harsh or high humidity indoor or outdoor applications.